

Installation of GiAPA



GiAPA can be downloaded from www.giapa.com → Downloads → New Installation

GiAPA comes as a zipped file named **giapa.zip**. It is password-protected and can be unzipped on your PC using the password supplied by your GiAPA sales representative. The zipped file consists of a save file **giapalib.savf**, which contains the library **GIAPALIB**, and the file **GiAPAmmanual.pdf**, and our "General Terms and Conditions".

You must transfer the unzipped **giapalib.savf** in binary mode to an already existing ***SAVF** on your server.

To install, sign on using a profile having **QSECOFR** authority and with the system value **QALWOBJRST** allowing a restore of programs using adopted authority followed by the command

RSTLIB SAVLIB(GIAPALIB) DEV(*SAVF) SAVF(mysavefile).

GIAPALIB must be restored to the system ASP or to a basic ASP – not to an independent ASP.

Adopted authority is used because **QACGJRN *JRN** and the performance collector APIs **QPMLPFRD** and **QPMWKCOL** are shipped with public authority ***EXCLUDE**. GiAPA's data collection programs **GIAPA111**, **GIAPA112** and **GIAPA113** are therefore shipped with authority adopted from **QSECOFR**. **GiAPA may be restored using profiles with less authority**, but the data collection must in this case be made under user profiles having authority to call **QPMLPFRD** and **QPMWKCOL** and to read the job accounting journal. GiAPA Menu option 89 can be used to check if a user profile has the authorization needed for the data collection.

To start data collection use either

- GiAPA menu option 11 (get the menu by using command **GIAPALIB/GIAPA**), or
- command **GIAPALIB/GIAPA110**

Most likely all the standard values of the command can be used and no changes of parameters should be necessary. However, you are of course welcome to refer to the user manual for various options.

When starting GiAPA you may use keyword **MINUTES** within command **GIAPA110** to specify a collection time limit. If you leave the default value ***NOMAX** value unchanged, GiAPA will continue running, and restart every midnight. To terminate the data collection please use GiAPA menu option 13 or command **GIAPALIB/GIAPA130 TERMINATE(Y)**.

The data collection requires no software security code, and will typically use less than 0.1% CPU. However, to analyze the data collected (GiAPA Menu option 14) it will need a valid security code (installed using command **GIAPALIB/GIAPA009**).

Important: Backup of GIAPALIB

Please note that if **GIAPALIB** is backed up using "save while active" during performance data collection you should specify **OMITOBJ((GIAPALIB/*ALL *USRSPC) (GIAPALIB/GIAPA115* *USRIDX))** for the backup run to avoid abnormal termination of the GiAPA jobs.

Is GiAPA Data Collection Active?

Look for job names prefixed with "GiAPA" in the **QSYSWRK** subsystem. Only job **GIAPAPFCOL** will have an opened output file. If HotSpots are collected, there will be some **GIAPAHOTSP** jobs. SQL Observer job name is **GIAPAJWCOL**.

To get an impression of the amount of data collected from GiAPA Menu option 81 choose selection 5 to obtain the statistics for the different collection record types.

***MGTCOL objects**

GiAPA receives performance data from the IBM Performance Collector APIs every 15 seconds. These APIs also generate ***MGTCOL** objects with attribute ***PFR**. These objects are not used by GiAPA. The disk space they occupy can be seen by using command **DSPOBJD OBJ(*ALL/*ALL) OBJTYPE(*MGTCOL)**.

"Configuration and Services" in iSeries Navigator or CL-command **CFGPFRCOL** can be used to specify how long time ***MGTCOL** objects are retained on the system (default is 24 hours).